FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.123USC1	Application Number: 10/663,158	
IN AN APPLICATION	Applicant: DESAUVAGE ET AL.		
(Use several sheets if necessary)	Filing Date: 09/15/2003	Group Art Unit: UNKNOWN	

D. T. MEN			I.S. PATENT DOCUME	113	·		
XAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING IF APPR	DATE OPRIATE
R	4,275,149	06/23/1981	Litman et al.				
1	4,816,567	03/28/1989	Cabilly et al.				
	5,223,409	06/29/1993	Ladner et al.				
	5,403,484	04/04/1995	Ladner et al.				
	5,545,806	08/13/1996	Lonberg et al.				
	5,545,807	08/13/1996	Surani et al.				·
	5,569,825	10/29/1996	Lonberg et al.				
	5,571,698	11/05/1996	Ladner et al.				
	5,625,126	04/29/1997	Lonberg et al.				
	5,633,425	05/27/1997	Lonberg et al.				
	5,658,570	08/19/1997	Newman et al.				
	5,681,722	10/28/1997	Newman et al.			<u> </u>	
	5,693,780	12/02/1997	Newman et al.				
	5,750,105	05/12/1998	Newman et al.				
	5,750,373	05/12/1998	Garrard et al.				721
	5,756,096	05/26/1998	Newman et al.				
	5,792,850	08/1998	Baumgartner et al.			······································	
)	5,925,735	07/1999	Baumgartner et al.				
ck	6,080,406	06/2000	Baumgartner et al.				•
-							
		FOR	EIGN PATENT DOCUM	IENTS			
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	ATION
						YES	NO
R	WO 97/44455	11/27/1997	PCT				•

EXAMINER	Muficile	DATE CONSIDERED	10/26/05	·····
EVANUED. I	With the second			

EXAMINER: Intral if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 11669.123USC1	Application Number: 10/663,158	
IN AN APPLICATION	Applicant: DESAUVAGE ET AL.		
(Use several sheets if necessary)	Filing Date: 09/15/2003	Group Art Unit: UNKNOWN	
2		······································	

The second second	/
	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
of	Altschul et al., "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs," Nucleic Acids Research, Vol. 25, pp. 3389-3402 (1997)
	Bazan, J., "Structural Design and Molecular Evolution of a Cytokine Receptor Superfamily," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 87, pp. 6934-6938 (1990)
	Boerner et al., "Production of Antigen-Specific Human Monoclonal Antibodies From In Vitro-Primed Human Splenocytes," <i>The Journal of Immunology</i> , Vol. 147, No. 1, pp. 86-95 (1991)
	Bolton, C., "Recent advances in the pharmacological control of experimental allergic encephalomyelitis (EAE) and the implications of multiple sclerosis treatment," <i>Multiple Sclerosis</i> , Vol. 1, p. 143 (1995)
	Carter et al., "Improved oligonucleotide site-directed mutagenesis using M13 vectors," Nucl. Acids Res., Vol. 13, No. 12, pp. 4431-4443 (1985)
	Chambers and Allison, "Co-stimulation in T cell responses," Current Opinion in Immunology, Vol. 9, No. 3, pp. 396-404 (June 1997)
	Clackson et al., "Making antibody fragments using phage display libraries," Nature, Vol. 352, pp. 624-628 (1991)
	Cole et al., "The EBV-Hybridoma Technique and Its Application to Human Lung Cancer," Monoclonal Antibodies and Cancer Therapy, New York, Alan R. Liss, Inc., pp. 77-96 (1985)
	Constant, S. L. et al., "Induction of Th1 and Th2 CD4+ T Cell Responses: The alternative approaches," <i>Annual Review of Immunology</i> , Vol. 15, pp. 297-322 (1997)
	Cosman, D., "The Hematopoietin Receptor Superfamily," Cytokine, Vol. 5, No. 2, pp. 95-106 (March 1993)
	Finn and Lotze, "Introduction: Third Keystone Symposium on Cellular Immunology and the Immunotherapy of Cancer," <i>Journal of Immunotherapy</i> , Vol. 21, No.2, pp. 114-118 (March 1998)
	Fishwild et al., "High-avidity human IgGk monoclonal antibodies from a novel strain of minilocus transgenic mice," <i>Nature Biotechnology</i> , Vol. 14, No. 7, pp. 845-851 (July 1996)
	Heid et al., "Real time quantitative PCR," Genome Research, Vol. 6, No. 10, pp. 986-994 (1996)
	Hoogenboom and Winter, "By-passing immunization: human antibodies from synthetic repertoires of germline V _H gene segments rearranged in vitro," <i>J. Mol. Biol.</i> , Vol. 227, pp. 381-388 (1992)
	Hsieh, C.S. et al., "Development of T _H 1 CD4 ⁺ T Cells Through 1L-12 Produced by Listeria-Induced Macrophages," <i>Science</i> , Vol. 260, pp. 547-549 (1993)
	Huhtaniemi et al., "Transgenic and knockout mouse models for the study of luteinizing hormone and luteinizing hormone receptor function," <i>Molecular and Cellular Endocrinology</i> , Vol. 187, Nos. 1-2, pp. 49-56 (2002)
	Jenkins, M., "The ups and downs of T cell costimulation," <i>Immunity</i> , Vol. 1, No. 6, pp. 443-446 (September 1994)
	Jones, et al., "Replacing the Complementarity-determining Regions in a Human Antibody with Those From a Mouse," <i>Nature</i> , Vol. 321, pp. 522-525 (May 29, 1986)
	June et al., "The B7 and CD28 receptor families," Immunology Today, Vol. 15, No. 7, pp. 321-331 (July 1994)

EXAMINER	Alecholo	DATE CONSIDERED	10/26/05
EXAMINER!	mitial if reference considered, whether or not citation is in an	oformanon with MDED 600:	draw line through situation if and in conformation

and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449*		Docket Number:	Application Number:
OTPENFORMAT	ION DISCLOSURE STATEMENT	11669.123USC1	10/663,158
	N AN APPLICATION	Applicant: DESAUVAGE ET	AL.
(NOV 1 7 2003 ju)(Use	several sheets if necessary)	Filing Date: 09/15/2003	Group Art Unit: UNKNOWN
A STATE OF THE PARTY OF THE PAR			
Z.	Kaplan, M. H. et al., "Impaired IL-12 responses Nature, Vol. 382, pp. 174-177 (1996)	and enhanced development of	Th2 cells in Stat4-deficient mice,"
	Kohler and Milstein, "Continuous Cultures of F Vol. 256, pp. 495-497 (August 7, 1975)	used Cells Secreting Antibody	of Predefined Specificity," Nature,
	Kuhn, R. et al., "Generation and analysis of Inte	rleukin-4 deficient mice," Scie	nce, Vol. 254, pp. 707-710 (1991)
	Kwon et al., "Manipulation of T cell costimulate Proc. Natl. Acad. Sci. USA, Vol. 94, No. 15, pp.		nmunotherapy of prostate cancer,"
Le Gros, G. et al., "Generation of Interleukin 4 (IL-4)-producing Cells in Vivo and In Vitro: IL-2 and IL-4 Required For In Vivo Generation of IL-4-producing Cells," Journal of Experimental Medicine, Vol. 172, p 929 (1990)			
Linsey and Ledbetter, "The Role of the CD28 receptor during T cell responses to antigen," Annu. Rev. Imm Vol. 11, pp. 191-212 (1993)			to antigen," Annu. Rev. Immunol.,
Lonberg and Huszar, "Human antibodies from transgenic mice," International Reviews of Immunology, Vol No. 1, pp. 65-93 (1995)			Reviews of Immunology, Vol. 13,
Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct genetic modification Nature, Vol. 368, No. 6474, pp. 856-859 (April 28, 1994)			distinct genetic modifications,"
	Lynch et al., "F1t3 ligand induces tumor regress Vol. 3, No. 6, pp. 625-631 (June 1997)	ion and antitumor immune resp	ponses in vivo," Nature Medicine,
	Magram, J. et al., "IL-12-deficient mice are defe Immunity, Vol. 4, pp. 471-481 (1996)	ective in IFNy production and t	ype I cytokine responses,"
	Mak et al., Nat. Rev. Immunol., Vol. 1, pp. 11-1	9 (2001)	
	Marks et al., "By-passing immunization: building Bio/Technology, Vol. 10, pp. 779-783 (1992)	ng high affinity human antibod	ies by chain shuffling,"
Marks, et al., "By-passing immunization: human antibodies from V-gene libraries displayed on phage," . Biol., Vol. 222, pp. 581-597 (1991)			ries displayed on phage," J. Mol.
	Melero et al., "Monoclonal antibodies against the 4-1BB T-cell activation molecule eradicate established tu Nature Medicine, Vol. 3, No. 6, pp. 682-685 (June 1997)		
	Morrison, S., "Immunology: Success in specific	cation," Nature, Vol. 386, No.	6474, pp. 812-813 (April 28, 1994)
	NCBI Listing of nucleotide and protein sequence	es for TCCR, dated November	25, 2002
	Neuberger, M., "Generating high-avidity human (July 1996)	Mabs in mice," Nature Biotec	hnology, Vol. 14, No. 7, p. 826

EXAMINER	Mundeale	DATE CONSIDERED	0/	24/05

O'Shea et al., Nat. Rev. Immunol., Vol. 2, pp. 37-45 (2002)

Noben-Trauth, N. et al., "An Interleukin 4 (IL-4)-independent pathway for CD4+ T cell IL-4 production is revealed in IL-4 receptor-deficient mice," *Proc. Natl. Acad. Sci. USA*, Vol. 94, pp. 10838-10843 (1997)

O-Garra, A., "Cytokines induce the development of functionally heterogeneous T helper cell subsets," Immunity,

EXAMINER: Infial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Vol. 8, pp. 275-283 (1998)

ì

FORM 1449: IN AN APPLICATION	Docket Number: 11669.123USC1	Application Number: 10/663,158
	Applicant: DESAUVAG	SE ET AL.

(Use several sheets if necessary) Filing Date: 09/15/2003 Group Art Unit: UNKNOWN

d'	Presta, L., "Antibody Engineering," Curr. Op. Struct. Biol., Vol. 2, pp. 593-596 (1992)
	Proudfoot et al., Immunol. Rev., Vol. 177, pp. 246-256 (2000)
	Riechmann et al., "Reshaping Human Antibodies for Therapy," Nature, Vol. 332, pp. 323-327 (March 24, 1988)
	Romagnani, S. et al., "Human Th1 and Th2 cells: functional properties, mechanisms of development and role in diseases," <i>Allergologie</i> , Muenchen-DeisenhDE:Dustri Verlag, Vol. 18, No. 4, pp. 175-179 (1996)
	Schwartz, R., "Costimulation of T lymphocytes: the role of CD28, CTLA-4, and B7/BB1 in interleukin-2 production and immunotherapy," <i>Cell</i> , Vol. 71, No. 7, pp. 1065-1068 (December 24, 1992)
	Seder, R. A. et al., "Interleukin 12 acts directly on CD4+ T cells to enhance priming for interferon γ production and diminishes interleukin 4 inhibition of such priming," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 90, pp. 10188-10192 (1993)
	Shimoda, K. et al., "Lack of IL-4 induced Th2 response and IgE class switching in mice with disrupted Stat6 gene," <i>Nature</i> , Vol. 380, pp. 630-633 (1996)
	Sprecher et al., "Cloning and Characterization of a Novel Class I Cytokine Receptor," <i>Biochem. & Biophys. Res. Comm.</i> , Vol. 246, pp. 82-90 (1998)
	Stewart et al., "Blastocyst implantation depends on maternal expression of leukaemia inhibitory factor," <i>Nature</i> , Vol. 359, No. 6390, pp. 76-79 (September 3, 1992)
	Swain et al., "Helper T-cell subsets: phenotype, function and the role of lymphokines in regulating their development," <i>Immunol. Rev.</i> , Vol. 123, pp. 115-144 (1991)
	Thimmappaya et al., "Adenovirus VAI RNA is required for efficient translation of viral mRNAs at late times after infection," Cell, Vol. 31 (3 Pt 2), pp. 543-551 (December 1982)
	Umetsu and DeKruyff, "Th1 and Th2 CD4+ Cells in the Pathogenesis of Allergic Diseases," Soc. Exp. Biol. Med., Vol. 215, pp. 11-20 (1997)
	Urdal, D. L., "Cytokine Receptors," Ann. Reports Med. Chem., Chapter 23, Vol. 26, pp. 221-228 (1991)
	Wells et al., "Cassette Mutagensis: an Efficient Method for Generation of Multiple Mutations at Defined Sites," <i>Gene</i> , Vol. 34, No. 2-3, pp. 315-323 (1985)
	Wells et al., "Importance of hydrogen-bond formation in stabilizing the transition state of subtilisin," <i>Philos. Trans. R. Soc. London Ser A</i> , Vol. 317, pp. 415-423 (1986)
	Wu, C. et al., "Characterization of 1L-12 receptor β1 chain (IL-12Rβ1)-deficient mice," J. Immunol., Vol. 159, pp. 1658-1665 (1997)
P	Zoller and Smith, "Oligonucleotide -directed Mutagenesis Using M13-derived Vectors: An Efficient and General Procedure for the Production of Point Mutations in Any Fragment of DNA," <i>Nucl. Acids Res.</i> , Vol. 10, No. 20, pp. 6487-6500 (1982)

23552
PATENT TRADEMARK OFFICE

		·			
EXAMINER	Shuding		DATE CONSIDERED	10/26/05	
				-/-	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.